



TEL: 86-757-8870 0589 / 8870 0683 / 8870 0583 / 8870 0353

FAX: 86-757-8870 0553

广东省佛山市禅城区澜石国际金属交易中心中心楼二楼37,39,41号  
Address: No.39-41,2nd Floor, Central building, Lanshi International Metal Trading Centre,  
Chan Cheng District, Foshan, Guangdong, China.

[www.normandysteel.com](http://www.normandysteel.com)

TISCO  
LISCO

YONGJIN



FUXIN  
DINGXIN



CHENGDE  
HONGWANG

HANYANG

**MARKETING AGENT**  
AND  
**COOPERATION PARTNER**

RUNXIN

质量赢得市场 · 诚信造就品质  
QUALITY WINS MARKET · FAITH MAKES QUALITY



**佛山市友特钢业有限公司**  
NORMANDY STEEL INDUSTRY CO., LTD



## COMPANY INTRODUCTION | 企业简介

Located in Foshan, Guangdong, China, Normandy Steel Industry Co., Ltd. is a professional stainless steel enterprise integrating producing, processing and marketing as a whole. We get all customers' long-term business support and recognition during the past more than fifteen years because we always provide the best solution for the benefits of both sides to a win-win result.

Our business range is Hot rolled and Cold rolled stainless steel coil, sheet, strip of grade 201, 202, 301, 304, 316, 409, 410, 430, etc. In surface finish of No.4, Mirror 8K, Hair Line, ScotchBrite, Ti-golden and Color coated, Embossed, Etched. All thickness, width and length requirements are available. Furthermore, We have our own re-rolled factory produce precision cold rolled stainless steel coil/strip and processing center provide the service of precise slitting, cutting, embossing, etching. 100% self-inspection for the products, we put the quality as our first priority.

For our experience, we have been in this business as international trading for more than 15 years, Our products are widely spread to the world. We have exported to more than 50 countries mainly from America, Russia, UK, Korea, Vietnam, Egypt, Turkey, Saudi Arabia, UAE etc. We are also planning to explore our market in South America. Apart from international trading, we set up department for domestic market. We have approximately sixty five thousands sales volume in China mainland, for Hot-rolled 304 and 400 series. For better business development, we have acquired the general dealership from Inner Mongolia Shangtai Industry Co., Ltd.

We welcome friends all over the world to join us and become partner, We take the good faith operation tenet and strive to become your long-term reliable supplier.

佛山友特钢业有限公司是位于华南地区的专业不锈钢公司、从事不锈钢材料国内、进出口贸易，生产加工及配送一条龙服务。公司位于著名“中国不锈钢之都”的佛山市澜石国际金属交易中心，是中国最大的不锈钢材料及制品集散地之一。毗邻珠三角一些主要的国际货代港口，可通达全球各地，交通运输十分便利。作为一家管理规范、发展十多年以来以守信、重义得到广大客户长期的支持和肯定，我们承诺将“互惠共赢，诚信第一”的经营理念为广大客户提供优质的服务！

公司在外贸方面已有超过15年经验，主要经营代理各大钢厂200系，300系，400系冷热轧卷板、平板灯各种有色金属（品牌有福欣、联众、太钢、宝钢、酒钢及鼎信冷热轧卷板等）；深加工包括各系列精密压延卷材，厚度宽度可根据客户要求定制；表面加工有雪花砂No.4、拉丝HL、精磨镜面8K、干抛BA表面以及各种彩色版、蚀刻板，珠光，方格，布纹压花等。所有货物经由专业检查，质量第一是我们的宗旨之一。

在外销行业打拼超过15年，公司出口国家超过50个，与美国，俄罗斯，英国，韩国，越南，埃及，土耳其，沙特阿拉伯，阿联酋等国的客户都有业务来往。同时正开发南美市场。

除了外销行业，公司也设有内销部门，每年国内销售量约为20万吨。主要来自热轧300系及热轧400系。为了发展更多商机，公司更是拿下了内蒙古上泰实业有限公司的总代理权。

**欢迎各路商友，共谋合作，实现互利互赢。**



## MANUFACTURING WORKSHOP | 生产车间



ROLLING EQUIPMENT



SLITTING EQUIPMENT



POLISHING FACILITY



CIRCLE MAKING EQUIPMENT



COLOR COATING EQUIPMENT



ETCHING EQUIPMENT

**PRODUCTION**  
INTRUDUCTION | 我们的产品

▷ **Stainless Steel Coil/strip**

<b>Grade</b>	AISI 201/202/304/316/321/430/409/ 410/439/443/436	
<b>Finish</b>	NO.1, 2B, BA, NO.4, Mirror 8K, SB, HL, Embossed, Etched, decorative color stainless steel	
<b>Thickness</b>	0.2mm-12mm	
<b>Width</b>	10-1500mm	
<b>Appplication</b>	home appliance, kitchenware, building decoration materials, food industry, equipment, parts etc.	

▷ **Stainless Steel Sheet**

<b>Grade</b>	AISI 201/202/304/316/321/430/409/ 410/439/443/436	
<b>Finish</b>	NO.1, 2B, BA, NO.4, Mirror 8K, SB, HL, Embossed, Etched, decorative color stainless steel	
<b>Thickness</b>	0.2mm-12mm	
<b>Width</b>	10-1500mm	
<b>Length</b>	standard 1000x2000, 1219x2438, 1500x3000, or customer specified. 6000MM max.	
<b>Appplication</b>	home appliance, kitchenware, building decoration materials, food industry, equipment, parts etc.	

**PRODUCTION**  
我们的产品 | INTRUDUCTION

▷ **ASTM A554 stainless steel tube**

<b>Standard</b>	ASTMA554/ EN10296-2	
<b>Material (Grade)</b>	201 (Ni 0.8-1%), 304 (Ni 8%, Cr 18%), 316L (Ni 10%-14%), 201, 301, 304L, 409, 430	
<b>Outside Diameter</b>	Round Tube : 6mm-168mm Square Tube : 10x10-100x100mm Rectangular Tube : 10x20-60X120mm	
<b>Thickness</b>	0.25mm-3mm	
<b>Surface</b>	Mill Finish, 180grit, 240grit, 320 grit, 400grit, 600 grit	
<b>Length</b>	6 meter or as for customer's request	
<b>Appplication</b>	Apply in handrail, sanitary wares, machinery equipment, hardware furniture, display shelf , automobile	


▷ **Stainless Steel Circle**

<b>Grade</b>	AISI 201/202/304/316/430/409/410/ 439/443	
<b>Finish</b>	NO.1, 2B, BA	
<b>Thickness</b>	0.2mm-12mm	
<b>Diameter</b>	100-700mm	



## PACKING

WAREHOUSE | 包装和仓库



## LOADING

SHIPMENT | 出货装柜



## EMBOSSED AND

压花和蚀刻彩板系列 | ETCHED COLOR PATTERN



△ Linen finish



△ Diamond panel



△ Elephant skin




△ Mirror etched blue



△ Deep etched antique bronze



△ Hairline antique bronze



△ Vibration silver



△ Hairline rose gold



△ Sandblasted rose gold

Grade	304	201	430	316
Type	stainless steel sheet			
Thickness	0.3 ~ 4.0 MM			
Width	1000/1219/1500 MM			
Length	6000MM max			
Coating	Double PE or Laser PE Coating			
Remarks	* Pattern and size can be customized.			
	* Prime quality and suitable for surface processing.			
	* Popular Patterns can be recommended.			

## CHARACTERISTICS

AND APPLICATION PRODUCTS | 特点和产品应用

Grade	Specification	Application
<b>SUS201</b> (1Cr17Mn6Ni5N)	201 stainless steel, has a certain acid, alkali resistance, high density, polishing without bubbles, no pinhole and other characteristics, is the production of various watchcase, strap cover high quality materials, etc..	It is mainly used for decorative pipes, industrial pipes, and some shallow stretching products. 
<b>SUS202</b> (1Cr18Mn8Ni5N)	202 stainless steel has increased processing hardening, high strength, it has a strong toughness, long service life, high wear resistance and no magnetism.	202 stainless steel is widely used in building decoration, municipal engineering, highway guardrail, hotel facilities, shopping malls, glass handrails, public facilities and other places. 
<b>SUS304</b> (0Cr18Ni9)	It has good corrosion resistance, heat resistance, low temperature strength and mechanical properties, stamping, bending and other hot workability, no heat treatment hardening phenomenon, no magnetism.	Household articles, cabinets, indoor pipes, water heaters, boilers, bathtubs, auto parts, medical appliances 

## CHARACTERISTICS

特点和产品应用 | AND APPLICATION PRODUCTS

Grade	Specification	Application
<b>SUS304DDQ</b>	Due to the adjustment of the elements content and the annealing process, the forming was improved and the deep processing is much better, especially the deep drawing.	Household goods, thermos bottle, sink, bath 
<b>SUS304L</b> (00Cr19Ni10)	The carbon content is lower than that of SUS304, so the intergranular corrosion resistance is superior. It is difficult to heat treatment after welding.	The equipment for the chemical, coal, oil industry sectors, building materials, heat resistant components, and parts difficult to heat treatment which require high corrosion resistance. 
<b>SUS316</b> (0Cr17Ni12Mo2)	It is more resistant to seawater and other solvents than SUS304, and has high strength at high temperature. It can be used in harsh conditions, with good hardening and no magnetism	Chemicals, dyes, paper making, oxalic acid, fertilizer production equipment, photography, food industry, coastal facilities. 



## CHARACTERISTICS

AND APPLICATION PRODUCTS | 特点和产品应用

Grade	Specification	Application	
<b>SUS316L</b> (00Cr17Ni14Mo2)	Carbon content is lower than SUS316, intergranular corrosion resistance is better than SUS316, high temperature strength is slightly worse, it can be used in harsh conditions, the work hardening is good, without magnetism.	Seawater equipment, chemicals, dyes, paper making, oxalic acid, fertilizer production equipment, photography, food industry, coastal facilities, it's especially suitable for machinery and chemical industry equipment.	
<b>SUS321</b> (1Cr18Ni9Ti)	The content of Ti is added, which has good intergranular corrosion resistance, heat resistance, high temperature strength and high temperature oxidation resistance, good processing and welding properties, but it is not recommended for surface decoration.	Heat resistant materials, automobiles, aircraft exhaust pipes, boilers, furnace covers, pipes, chemical devices, heat exchangers, jet engines, pressure cookers.	
<b>SUS301</b> (1Cr17Ni7)	The content of Cr and Ni is less than 304, and the strength and hardness are improved after cold rolling. It has a certain magnetic property after cold rolling.	Train, aircraft, vehicle, spring.	

## CHARACTERISTICS

特点和产品应用 | AND APPLICATION PRODUCTS

Grade	Specification	Application	
<b>SUH409L</b> (022Cr11Ti)	Good processability, good weldability, good oxidation resistance at high temperature, it's able to withstand the temperature range from room temperature to 575 degrees.	Widely used in automobile exhaust gas exhaust system.	
<b>SUS430</b> (1Cr17)	It's typical ferritic stainless steel and has low thermal expansion rate, with good formability and good oxidation resistance.	Heat resistant appliances, burners, household appliances, tableware, kitchen equipment, decorations and architectural decorations.	
<b>SUS436L</b>	Due to the addition of Mb, Ti and Nb, the corrosion resistance and workability, weldability is very good, very high resistance performance of automobile exhaust gas condensate	Automobile exhaust pipe, electromagnetic cooker, cooker	



## CHARACTERISTICS


AND APPLICATION PRODUCTS | 特点和产品应用

Grade	Specification	Application
439	Compared with the 304 steel, although it has a lower elongation (about 30%), the strength and corrosion resistance are equal, and the corrosion resistance is better than the 200 series.	Elevator, escalator decorative board, building decoration board, structural tube, automobile exhaust system component, washing machine inner barrel. 
TTS443	In view of the current international market, stainless steel raw material fluctuates greatly, end users demand more detailed and diverse requirements for stainless steel materials. Therefore, an alternative product of Type 304 material is developed	TTS443 stainless cold plates are used in construction, decoration, transportation, civil wares, kitchen equipment and household appliances. In the field of architectural decoration such as matte processing for elevator decoration; used in home appliance industry such as lampblack machine, microwave oven; used in civilian vessels industry into the stainless steel pot, cup, dish, barrel.   

## CHARACTERISTICS

特点和产品应用 | AND APPLICATION PRODUCTS


Grade	Specification	Application
(00Cr18Mo2)	Due to the addition of Mo, Ti and Nb, its corrosion resistance, processability and weldability are excellent, compared with SUS316, its stress corrosion resistance and pitting corrosion are much better.	Water heater, water tank, automobile exhaust pipe. 
SUS420J2 (3Cr13)	After quenching, it has high strength and hardness, and it is often used in high strength mechanical parts	Cutting tools, nozzles, valves, plates, rulers, tableware. 





## CHARACTERISTICS

AND APPLICATION PRODUCTS | 特点和产品应用

Finish	Application & Specification	
No.1	The surface is suffered heat treatment and pickling treatment after hot rolling. Generally used in cold rolling materials, industrial tanks, chemical equipment, etc..	
2B	A smooth, moderately reflective cold-rolled annealed and pickled or descaled finish typically produced by imparting a final light cold-rolled pass using [large diameter] polished rolls. Product with 2B finish is normally supplied in the annealed plus lightly cold-rolled condition unless a tensile-rolled [harder and stronger] product is specified.	
No.4	It's the product of grinding with No. 150-180 abrasive belt. Having better gloss, discontinuous coarse lines, and thinner stripes than NO.3. For interior and exterior decoration materials, electrical appliances, kitchen equipment, video equipment, etc..	
HL	The continuous grinding of the abrasive belt by appropriate particle size to produce the abrasive pattern (No. 150-320). Mainly used for building decoration, elevators, building doors, panels and so on.	

## CHARACTERISTICS

特点和产品应用 | AND APPLICATION PRODUCTS

Finish	Application & Specification	
BA	Having very high surface gloss and high reflectivity. Like the surface of a mirror. For household electrical appliances, mirrors, kitchen equipment, decorative materials, etc..	
8K	The surface of stainless steel has been polished, and its surface is bright as mirror. It is corrosion resistant. It is mainly used in all kinds of decoration or metal optical products.	